

Receiving Report

Date:

14/9/8

Batch No.

130 257

Supplier:

BK

Dart P/O:

28647

Packing Slip: Yes ☒ No ☒
 Invoice: Yes ☒ No ☒
 Receipt: Cash ☒ Cr ☒
 New Supplier Yes ☒ No ☒


Release Note Attached: Yes ☒ No ☒ N/A ☒
 Waybill Attached: Yes ☒ No ☒
 Shipment Complete: Yes ☒ No ☒ N/A ☒
 QC18 Inspection ☒ N/A ☒
 Work Order ☒ N/A ☒

Discrepancies

Part Number	Description	Quantity Ordered	Quantity Rec'd	Quantity Short	Quantity Inspected	Quantity Rejected	Comment / NCR Number

Initials of Receiver

QC12



Production/Admin:

Date

Received/Costing

Initial

Location



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID **PO25647**

Purchase Order Date 9/5/2014

PO Print Date 9/5/2014

Page Number 1 of 2

Order From :

VU-BEA001

B/E AEROSPACE INC
88289 EXPEDITE WAY
CHICAGO, IL 33172
USA

Ship To : DART AEROSPACE LTD

1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

FAXED

Contact Name

Vendor Phone 305-925-2600

Ship To Contact

Ship To Phone

Ship Via: FedEx PI collect

Ship Acct:

Buyer

Chantal Lavoie

Customer POID

Customer Tax #

10127-2607

Terms

Net 30

Currency

USD

FOB

FCA - (Free Carrier)

Line Nbr	Reference Vendor Part Number Line Comments Delivery Comments	Description/ Mfg ID	Req Date/ Taxable Promise Date	CD	Req Qty/ Unit of Measure	PO Unit Price	Extended Price
1	MS20470AD4-12	Rivet	9/5/2014 Yes 9/5/2014		100.00 Each	\$0.15	\$15.00
Line Total:							\$15.00
3	MS21044-N08	Nut	9/8/2014 Yes 9/8/2014		200.00 Each	\$0.15	\$30.00
Line Total:							\$30.00

Note:

9/5/2014



B/E Aerospace, Inc.

Page: 1 of 1

CONSUMABLES MANAGEMENT

P.O. Box 025263, Miami, FL 33102-5263 • Tel: 305.925.2600 • Fax: 305.507.7191
Plant Location: 10000 N.W. 15th Terrace, Miami, FL 33172 • SITA: MIAMMCR
www.beconsumables.com

Shipped From: 10000 NW 15 TERRACE, MIAMI, FL 33172

Material Certification

The items set forth on the purchase order referred to below have been visually inspected and the dimensions thereof have been measured by us, and based on the aforesaid, as well as the representation made to us by the manufacturers of the items subject of such purchase order, we hereby certify that such items are in conformity with all current governmental and manufacturer's requirements, specifications, drawings, and conform to the purchase order requirements. Said items are in new condition and have not been obtained from any U.S. Government or Military source and are traceable to B/E Aerospace, Inc.

FIRM: DART AEROSPACE LTD

PURCHASE ORDER#: PO25647

LINE#	QUANTITY	U/M	PART-NUMBER	CUST REF#	LOT-NUMBER	MANUFACTURER	CCODE	MFR DATE	EXP DATE
3	200	EA	MS21044N08		39810-000	MACLEAN-ESNA	019L2		


Jason Lewis
Vice President of Quality

09/05/14

MACLEAN-ESNA
A MACLEAN-FOGG COMPANY
611 COUNTRY CLUB ROAD
POCAHONTAS, ARKANSAS 72455
(870) 892-5201

TO: M&M AEROSPACE HARDWARE
10000 N.W. 15 TERRACE
MIAMI, FL 33172

DATE: 3/23/2010

SUBJECT:	YOUR ORDER NUMBER	OHJ057	ITEM NUMBER	1
	ESNA ORDER NUMBER	055028		
	FSCM/ CAGE NUMBER	019L2		
	YOUR PART NUMBER	MS21044N08		
	CERTIFIED AS	MS21044N08 PER NASM21044 (NEW)		
	ESNA PART NUMBER	F22NM-82		
	QUANTITY	427537		
	PACKING LIST NUMBER	51331		
	SHOP ORDER NUMBER	39810 - 000		


Gentlemen:

This is to certify that all applicable plating, heat treating, and inspection processing and that all material used in the manufacture of subject parts conform to the specification or drawings received by ESNA and set forth in the subject purchase order; that the parts are of good material and workmanship; and that all necessary records, including chemical and physical where applicable, will be made available for review upon request. The inspection and test reports provided represent the actual attributes of the items furnished on this contract and indicate full compliance with all applicable specification and contract requirements.

This is to certify that the materials supplied against the subject order are free of contamination by presence of mercury.

Very truly yours,

MACLEAN-ESNA
A MACLEAN-FOGG COMPANY


Jim Earley
Quality Assurance Manager

MACLEAN-ESNA
A MACLEAN-FOGG COMPANY
POCAHONTAS, ARKANSAS 72455

CERTIFICATE OF QUALITY COMPLIANCE

DATE: 3/23/2010

TO: M&M AEROSPACE HARDWARE
10000 N.W. 15 TERRACE
MIAMI, FL 33172

ESNA PART NO. F22NM-82
MANUFACTURER'S LOT SIZE 524537 (APPROX. WT. COUNT)
MANUFACTURED UNDER SHOP ORDER NUMBER 39810 - 000
ORIGINATED AS SHOP ORDER NUMBER -

ACCEPTANCE TESTS PER NASM 25027

MATERIAL RAW MATERIAL TYPE 0.310 RD 1010 CHQ WIRE DATE MFG: 03-09
RAW MATERIAL CONFORMS TO ASTM A-510 AS EVIDENCED BY THE ATTACHED MILL CERTIFICATION. ESNA SHOP
ORDER NO. 39810 - 000 MILL HEAT NO. 557090 VENDOR WIRE TECH
RED NYLON IS A TRADEMARK OF ELASTIC STOP NUT. THIS ASSURES TRACEABILITY OF PARTS TO SOURCE. MATERIAL
CERTIFICATION WITH HEAT NUMBERS ASSURES TRACEABILITY TO VENDOR OF RAW MATERIAL. NONMETALLIC INSERT
CONFORMS TO ASTM D4066-00. (ZYTEL 103)

FINISH FINISH TYPE CADMIUM PLATED TO SAE AMS QQ-P-416B, TY II, CL 2
LUBRICANT TYPE NO ADDITIONAL LUBRICANT

AXIAL STRENGTH REQUIRED LBS. MINIMUM 1720 ALL SAMPLE PIECES TESTED MEET OR EXCEED
EXCEEDS LBS. 2100 MINIMUM REQUIREMENTS.
SAMPLE SIZE 27 PIECES.

WORKMANSHIP CONFORMS DIMENSIONALLY TO MS21044N08 PER NASM21044 (NEW)
STANDARD. BEARING SURFACE SQUARENESS AS SPECIFIED PER NASM 25027

DISCONTINUITIES

WITHIN LIMITS PER NASM 25027 AND MIL-STD-271D/ACN 1/ AND REV E/ NOTICE 2/ AND REV F/ NOTICE 1.

ASTM E1444 - MT PER SPEC 725	SAMPLE SIZE(MT - PCS):	0
	ACCEPTED(PCS):	N/A
ASTM E1417 - PT PER SPEC 731	SAMPLE SIZE(PT - PCS):	0
	ACCEPTED(PCS):	N/A

LOCKING TORQUE MAXIMUM LOCKING(IN. LBS.): 15
MINIMUM BREAKAWAY(IN. LBS.): 1.5
1ST CYCLE MAXIMUM LOCKING(IN. LBS.): 4.6
7TH CYCLE MAXIMUM LOCKING(IN. LBS.): 3.5
15TH CYCLE MAXIMUM LOCKING(IN. LBS.): 3.7
15TH MINIMUM BREAKAWAY(IN. LBS.): 1.9
ALL SAMPLE PIECES MEET
OR EXCEED MINIMUM REQTS.
SAMPLE SIZE 27 PIECES

MERCURY FREE CLAUSE WE CERTIFY THAT NO POSSIBILITY EXISTS FOR MERCURY CONTAMINATION TO OCCUR
DURING MANUFACTURE, ASSEMBLY, OR TESTING OF PARTS ON THIS CONTRACT.

I CERTIFY THAT THE ABOVE TEST RESULTS AND/OR STATEMENTS ARE CORRECT AND REPRESENT THE PRODUCTS AS SUPPLIED.

FSCM/CAGE NO. 019L2
COQC-NASM REV. 7-9-09

SIGNATURE 
JIM EARLEY, QUALITY ASSURANCE MANAGER

MACLEAN-ESNA
A MACLEAN-FOGG COMPANY
POCAHONTAS, ARKANSAS 72455

LOCKING TORQUE TEST

CUSTOMER NAME M&M AEROSPACE HARDWARE
10000 N.W. 15 TERRACE
MIAMI, FL 33172

CUSTOMER DUE DATE

3/23/2010

CUSTOMER PO # OHJ057
ITEM NUMBER 175746
QUANTITY 1427537
THREAD SIZE .1640-32UNJC-3B
HEX .336 - .345
LINE NO 1
MS NUMBER - REF: MS21044N08 PER NASM21044 (NEW)

ESNA ORDER # 055028
PART # F22NM-82
SHOP ORDER # 39810 - 000
LOT QUANTITY 524537
PARENT SHOP ORDER #

Sample Size & Requirements per Spec NASM 25027

SampleSz 27

REQUIREMENT: 1ST, 7TH, 15TH, INSTALLATION MAXIMUM TORQUE

15

15TH BREAKAWAY MINIMUM TORQUE

1.5

SAMPLE #	1ST ON	1ST BREAK	7TH ON	7TH BREAK	15TH ON	15TH BREAK
1	4.2	4.5	3.0	3.5	3.0	2.9
2	3.2	3.0	2.0	2.5	2.5	2.2
3	3.0	3.2	2.5	2.9	2.4	2.1
4	3.0	2.9	2.0	2.5	2.0	2.1
5	3.0	3.2	2.5	2.7	2.2	2.3
6	3.0	3.5	2.5	2.6	2.3	2.4
7	3.2	3.0	2.8	2.4	2.4	2.3
8	3.0	2.9	2.4	2.5	2.1	2.2
9	3.5	3.6	3.0	3.2	2.9	2.5
10	3.2	3.6	2.5	2.6	2.0	2.5
11	3.6	4.0	3.5	3.7	3.5	3.6
12	3.6	4.5	3.1	4.0	3.4	3.9
13	4.1	4.5	3.2	4.0	3.7	4.0
14	3.8	4.5	3.4	3.8	3.5	3.5
15	4.6	5.4	3.3	4.1	3.6	3.7
16	3.1	3.5	2.4	3.0	3.0	3.0
17	2.8	3.0	2.0	2.5	2.5	2.5
18	3.2	3.5	2.5	2.6	2.7	2.9
19	2.9	3.0	2.2	2.7	2.5	2.4
20	3.4	4.0	2.9	3.4	2.6	3.5
21	2.8	3.0	2.0	2.0	1.8	1.9
22	3.5	3.8	3.1	3.0	2.3	2.9
23	3.2	4.0	2.1	2.6	2.0	2.4
24	3.2	3.7	2.8	3.0	2.2	3.5
25	3.1	3.5	2.7	3.3	2.5	3.0
26	3.4	3.6	2.6	2.9	2.4	2.4
27	3.1	3.6	2.3	2.9	2.9	3.0

SIGNATURE

Jim Earley
JIM EARLEY, QUALITY ASSURANCE MANAGER



WireTech, Inc.

6440 E. Canning Street
Los Angeles, CA 90040
Phone (323) 722-4933
Fax (323) 721-2738



SOLD TO

Maclean - ESNA
611 Country Club Road
Pocahontas, AR 72455
USA

hmir 26741
PO 18045
310 RD 1010

CERTIFICATION

WORK ORDER
066680

HEAT NO.
557090

SALES ORDER / RLS

829063 / 1

ISO 9001-2000 REGISTERED



MECHANICAL TESTING
CERT # 911.01

CUSTOMER P.O. 18045-00	CUSTOMER PART 0400070310	QUANTITY 2,448 Lbs	CARRIERS 2	LADING NO 00076481	SHIPMENT DATE 02/24/2009
SPECIFICATION M051010-303100B C-1010, AKFG, CHQ WIRE, SAIP Zinc Phosphate and Lube Coating, Size:0.309/0.311 Specifications: 1040 B, ASTM A-29/A29M 05, ASTM A-510 REV. 06					
CERTIFICATION REQUIREMENTS					
Chemical Properties					
C .09	Mn .35	P .008	S .011	Si .08	Cu .08
Ni .05	Cr .07	Mo .01			
Physical Properties					
Mill Source Charter					
Mechanical Properties					
TEST Tensile Strength	UNITS KSI	Results 64.5			

39810-000

Merchandise covered by this invoice is warranted to be free from defects in workmanship or material but not for any specific length of time, type or measure of service. No claim for allowance will be recognized unless presented in writing within 10 days time after receipt of material. Our maximum liability for any claim predicated upon defective merchandise is limited to replacement of it, or to repayment of it, or to repayment of the purchase price thereof, as we elect. Material cut to specific length or size cannot be returned for credit and request for cancellation of such orders will not be considered if manufacture has been commenced. Buyer, by acceptance of the merchandise covered by this invoice, agrees to the foregoing terms and conditions and those set forth on the reverse hereof. *The recording of false, fictitious or fraudulent statements or entries on this document may be punished as a felony under Federal statutes including Federal law, Title 18, Chapter 47.*

REPRODUCTION OF THIS CERTIFICATION IS NOT ALLOWED UNLESS IN FULL

Wire Tech, Inc. metallurgical laboratory is accredited in the following test: chemical analysis per ASTM E 415, mechanical testing per ASTM A 370, Rockwell hardness per ASTM E 18, metallographic mount preparation per ASTM E 3, decarburization depth per ASTM E 1077, IFI 140, inclusion rating per ASTM E 45, decarburization performed as per IFI 140. The reported Chemical and Physical Properties are Melt Source results. Transcribed from mill certificates. HRB(W) are hardness results performed with a 1/16" carbide ball. Unless otherwise specified, HRB and HRC results are conversions from ASTM A370 tables 1 and 2. *Test result not covered by our current A2LA accreditation. Tests which have been undertaken by a subcontractor laboratory that is not accredited are not endorsed by A2LA or covered by Wire Tech, Inc. A2LA accreditation.

TEST RESULTS RELATE ONLY TO THE ITEMS TESTED.
LATEST REVISIONS OF ASTM

Material is free of mercury, radium, or alpha contamination.



**CHARTER
STEEL**

A Division of
Charter Manufacturing Company, Inc.

EMAIL

1658 Cold Springs Road
Saukville, Wisconsin 53080
(262) 268-2400

CHARTER STEEL TEST REPORT
Reverse Has Text And Codes

1-800-437-8789

FAX (262) 268-2570

Wiretech Incorporated
6440 East Canning Street
Los Angeles, CA 90040-
Attn: Janice Duran

Chart Steel PO#	6220
Chart Steel Part#	1010-3C110-C
Chart Sales Order#	267868
Heat #	557090
Ship Lot#	402151
Grade	1010 A AK FG RHQ
Process	HR
Finish Size	7/16

I hereby certify that the material described herein has been manufactured in accordance with the specifications and standards listed below and on the reverse side, and that it satisfies those requirements.

Test Results of Heat Lot# 557090

Lab Code: 7388	C	MN	P	S	SI	NI	CR	MO	CU	SN	V
Chemistry	0.09	0.35	0.008	0.011	0.080	0.05	0.07	0.01	0.08	0.005	0.001
Wt%											
	AL	N	B	TI	NB						
	0.033	0.0070	0.0001	0.001	0.001						

CHEM. DEVIATION EXT.-GREEN = N/R

	# of Tests	Test Results of Rolling Lot # 402151		Mean Value	
		Min Value	Max Value		
TENSILE (KSI)	2	57.2	58.1	57.7	TENSILE LAB = 0358-02
REDUCTION OF AREA (%)	2	60	64	62	RA LAB = 0358-02
ROCKWELL B (HRBW)	1	67	67	67	RB LAB = 0358-02
ROCKWELL C (HRC)	0	0	0	0	RC LAB = N/R
ROD SIZE (Inches)	20	0.436	0.441	0.438	
ROD OUT OF ROUND (Inches)	6	0.004	0.005	0.004	

QC DEVIATION EXT.-GREEN = N/R

Test Results of Processing Lot #

QC DEVIATION EXT.-PROCESSED = N/R

Specifications: Manufactured per Charter Steel Quality Manual Rev 8, 12-05-07
Meets customer specifications with any applicable Charter Steel exceptions for the following customer documents:
Customer Document = COP 3000 Revision = R Dated = 24-OCT-2007

Additional Comments:

RMIR 26741
PO 18045
310 RD 1010

39810-000

Charter Steel
Saukville, WI, USA



Janice Barnard

Janice Barnard
Manager of Quality Assurance
08/07/2008

Fax number: (323) 721-2738

Rem: Load1,Mail0,Fax1

Page 1 of 1

The following statements are applicable to the material described on the front of this Test Report:

1. Except as noted, the steel supplied for this order was melted, rolled, and processed in the United States.
2. Mercury was not used during the manufacture of this product, nor was the steel contaminated with mercury during processing.
3. Unless directed by the customer, there are no welds in any of the coils produced for this order.
4. The laboratory that generated the analytical or test results can be identified by the following key:

Certificate Number	Lab Code	Laboratory		Address
0358-01	7388	CSMD	Charter Steel Melting Division	1653 Cold Springs Road, Saukville, WI 53080
0358-02	8171	CSR/D/CDPD	Charter Steel Rolling/Processing Division	1658 Cold Springs Road, Saukville, WI 53080
0358-03	123633	P4	Charter Steel Ohio Processing Division	6255 US Highway 23, Risingsun, OH 43457
0358-04	125544	CSC	Charter Steel Cleveland	4300 E. 49th St., Cuyahoga Heights, OH 44125-1004
358.05	128003	CSDT	Charter Steel Detroit	23860 Sherwood Ave. Center Line, MI 48015
.	.	--	Subcontracted test performed by laboratory not in Charter Steel system	

5. When run by a Charter Steel laboratory, the following tests were performed according to the latest revisions of the specifications listed below, as noted in the Charter Steel Laboratory Quality Manual:

Test	Possible Laboratory	Specification
Chemistry Analysis	CSMD, CSC	ASTM E415; ASTM E1019
X-ray Fluorescence Stainless and Alloy Steel	CSC	ASTM E572
Macroetch	CSMD, CSC	ASTM E381
Hardenability (Jominy)	CSMD, CSC	ASTM A255; SAE J406; JIS G0561
Grain Size	CSMD	ASTM E112
Tensile Test	CSR/D/CSPD, P4, CSC, CSDT	ASTM E8; ASTM A370
Rockwell Hardness	CSMD, CSR/D/CSPD, P4, CSC, CSDT	ASTM E18; ASTM A370
Microstructure (spheroidization)	CSR/D/CSPD, P4	ASTM A892
Inclusion Content (Methods A, E)	CSR/D/CSPD, CSC	ASTM E45

Charter Steel has been accredited to perform all of the above tests by the American Association for Laboratory Accreditation (A2LA). These accreditations expire 01/31/09.

All other test results associated with a Charter Steel laboratory that appear on the front of this report, if any, were performed according to documented procedures developed by Charter Steel and are not accredited by A2LA.

6. The test results on the front of this report are the true values measured on the samples taken from the production lot. They do not apply to any other sample.
7. This test report cannot be reproduced or distributed except in full without the written permission of Charter Steel. The primary customer whose name and address appear on the front of this form may reproduce this test report subject to the following restrictions:
 - It may be distributed only to their customers
 - Both sides of all pages must be reproduced in full
8. This certification is given subject to the terms and conditions of sale provided in Charter Steel's acknowledgement (designated by our Purchase Order number) to the customer's purchase order. Both Purchase Order numbers appear on the front page of this Report.
9. Where the customer has provided a specification, the results on the front of this test report conform to that specification unless otherwise noted on this test report.

39810-000



RMIR 26741
PO 18045
310 RD 1010



B/E Aerospace, Inc.

Page: 1 of 1

CONSUMABLES MANAGEMENT

P.O. Box 025263, Miami, FL 33102-5263 • Tel: 305.925.2600 • Fax: 305.507.7191
Plant Location: 10000 N.W. 15th Terrace, Miami, FL 33172 • SITA: MIAMMCR
www.beconsumables.com

Shipped From: 650 LONGBEACH BLVD, STRATFORD, CT 06615


Material Certification

The items set forth on the purchase order referred to below have been visually inspected and the dimensions thereof have been measured by us, and based on the aforesaid, as well as the representation made to us by the manufacturers of the items subject of such purchase order, we hereby certify that such items are in conformity with all current governmental and manufacturer's requirements, specifications, drawings, and conform to the purchase order requirements. Said items are in new condition and have not been obtained from any U.S. Government or Military source and are traceable to B/E Aerospace, Inc.

FIRM: DART AEROSPACE LTD

PURCHASE ORDER#: PO25647

LINE#	QUANTITY	U/M	PART-NUMBER	CUST REF#	LOT-NUMBER	MANUFACTURER	CCODE	MFR DATE	EXP DATE
1	100	EA	MS20470AD4-12		245659 P 001 F003	AHG ATELIERS HAUTE-G	F0095		


Jason Lewis
Vice President of Quality

09/05/14



ATELIERS DE LA HAUTE-GARONNE

Ets AURIOL & Cie - S.A. au capital de 201850 EUR - Z.I. de FLOURENS BP73103 26 route de Lasbordes - 31130 FLOURENS (FRANCE)
Tél. (33) 5 61 83 60 35 - Fax (33) 5 61 83 95 05 - RCS TOULOUSE B 550 800 528 - SIRET 550 800 528 00014 - APE 2593Z

PACKING SLIP N° 503176

of 21/04/2011

P/ 1

Supplier number : V1088

DB

Account N°: 3969 Represent.: 08/ MPSI	File N° : UI 10 Coface N° 285101298	Your P.O. nbr. : OVY907 Our ack: 245659 of 28/01/2011 Invoice N°: 503176 of 21/04/2011	of 27/01/2011
Shipment to B/E AEROSPACE INC 9835 NW 14TH ST (ORIGIN= FRANCE)	Ordered by : B/E AEROSPACE INC P.O. BOX 025263		
33172 ETATS UNIS Tél: 00 1	MIAMI Fax: 001 305 507 7192	33102-5263 ETATS UNIS Tél: 001 305 925 2600	MIAMI Fax: 001 305 507 7191
Pre-carriage by : UPS SCS palette >300 kg Miami cdessaux@ups.com	Number of packaging : 7 Net weight : 113.393 Kg. Gross weight: 125.000 Kg.		

ITEM	ORDERED	PART NUMBER	QTY.SHIP.	SCHEDULED	TO BE DELIV.
------	---------	-------------	-----------	-----------	--------------

1	250.000 Lb. 228584 Pcs**	AIRCRAFT PARTS MS20470AD4-12 (1) 2117/WL 3.1124/L86 T4 univ.head marked chamfer Alod.1200 MIL-C-5541 roll sorting NASM20470	Manufactured by AHG - NATO: F0095 - Origin: FRANCE 250.000 Lb. 29 APR 2011 223172 Pcs**		
Technical spec: NASM5674 Heat treatment per NASM5674/AMS2770 Coating per: MIL-DTL-5541 CLASS 1A					
Lot nb	245659 P 001 F001	Qty.:	67.000 Lb.		
Lot nb	245659 P 001 F002	Qty.:	80.000 Lb.		
Lot nb	245659 P 001 F003	Qty.:	84.000 Lb.		
Lot nb	245659 P 001 F004	Qty.:	19.000 Lb.		



ATELIERS DE LA HAUTE-GARONNE

Ets AURIOL & Cie - S.A. au capital de 201850 EUR - Z.I. de FLOURENS BP73103 26 route de Lasbordes - 31130 FLOURENS (FRANCE)
Tél. (33) 5 61 83 60 35 - Fax (33) 5 61 83 95 05 - RCS TOULOUSE B 550 800 528 - SIRET 550 800 528 00014 - APE 2593Z

CERTIFICATE of CONFORMITY and TEST REPORT N° A471128

of 23 MAR 2011

SAM

ACCORDING TO NF L 00-15C AND EN10204 TYPE 3.1

Page 1

Your P.O. nb. :	OVY907	of : 27 JAN 2011	Supplier number :	V1088
N° ack. :	245659	of : 28 JAN 2011		
Shipment to : (or notify party) B/E AEROSPACE INC 9835 NW 14TH ST (ORIGIN= FRANCE)				
33172 MIAMI ETATS UNIS				


ITEM	ORDERED	PART NUMBER				SHIPPED			
1	250.000 Lb.	MS20470AD4-12 (1) 2117/WL 3.1124/L86 univ.head marked T4 chamfer roll sorting Alod.1200 MIL-C-5541 NASM20470				84.000 Lb. 75003 Pcs **			
Technical spec :		NASM5674							
Heat treat per :		NASM5674/AMS2770		Coating per :		MIL-DTL-5541 CLASS 1A			
Lot nb	245659 P001 F003	Qty.:	84.000 Lb.	AHG Wire lot nb.:	188699	Material heat nb.:		845639	
	NATO Cod : F0095								
	Manufacture heading date: 28 FEB 2011			Material Producer : K		Coating date :	11 MAR 2011		
Cis./Shear strength 08-058MO	double(D)/simple(S):	D Rc/shear strength	Mini	Maxi	Value	Unit	Test#		
			26.00	99.99	34.43	KSI	3		
			26.00	99.99	35.06	KSI			
			26.00	99.99	35.72	KSI			
Ecrasement/Driveability	conforme: O/N	O defaults/defects		0.00	0.00	Piece	5		
Grain size		Taille / Size		5.00	6.50		3		
CR	CU	FE	FE + MN	MG	MN	SI	TI + ZR	ZN	AL
0,06000	2,90000	0,37000	0,52000	0,42000	0,15000	0,46000	0,01000	0,14000	BALANCE

OUR AIRBUS SAS APPROVAL NUMBER IS : 30030 of 31 August 2004
OUR BAE SYSTEMS APPROVAL NUMBER IS : BAE/AG/30623/MAA of July 2001
THE WORK PERFORMED IS IN ACCORDANCE WITH BAE/AG/QC/SCI Part 3

Parts manufactured by AHG and delivered under this CofC are DFARS compliant per DFAR 252.225-7009

We hereby declare, subject to exceptions, reservations, or concessions listed in this statement of conformity, that the listed supplies comply with the contract requirements and that, after completion of testing and verification, they satisfy in every respect all specified requirements and applicable standards and regulations.

SUPPLIER'S INSPECTION 23 MAR 2011	VISA DGAC	** Estimated quantity
NAME AND FUNCTION	Signataire habilité	
Gilles GUISSSET CTLF Chef Service Contrôle	Agrément JAR 21 DGAC FG097	
Computer controlled signature		---



--- TRUE COPY CERTIFICATION ---